INNOVATEST®
Advanced Materials Testing Solutions

TV-200



TV-200
Vibration pen



Features

- Machinery checker for predictive maintenance of production machinery
- For quick checking of unbalance, misalignment, bearings and gears
- Holds value after each test
- Handy, battery operated instrument
- Large frequency range
- Automatic switch-off after 40 seconds
- Low battery voltage indication

Technical specifications

Measurement range	RMS vibration velocity 0.1mm/s to 199.9mm/s
Frequency range	10Hz to 1kHz
Display	4 digit LCD display Hold value of last reading
Accelerometer	Integrated
Power supply	1.5V button cell batteries (2 pcs) Auto shut-off after 40 seconds
Battery capacity	Approx. 5 hours continuously
Operating temperature	0°C to 40°C, < 85% RH
Dimensions	150mm x 22mm x 18mm
Weight	Approx. 55gr including batteries

Standard delivery

- Instrument
- Small pocket bag
- Batteries SR44 (2 pcs)
- Manual
- INNOVATEST® certificate

Order details

TV-200 Pen type vibration tester

Represented by:

IN10-228 170215

CORPORATE HEAD OFFICE

INNOVATEST Europe BV
MANUFACTURING, DISTRIBUTION & SERVICE
Borgharenweg 140
6222 AA Maastricht (The Netherlands)
Phone: +31 43 3520060
Fax: +31 43 3631168
E-mail: info@innovatest-europe.com
Website: www.innovatest-europe.com

BRANCHE OFFICES

INNOVATEST Benelux BVBA
SALES & SERVICE
Phone: +32 12 779002
Fax: +32 12 779003
E-mail: info@innovatest-benelux.com
Website: www.innovatest-europe.com

INNOVATEST Shanghai Co., Ltd.
ASIA & CHINA SALES & SERVICE
Building 2, No.123, 1165 Nong Jindu Road,
South Metropolis Industrial Park
Minhang District, Shanghai, P.R. China
Zip code: 201108
E-mail: info@innovatest-shanghai.com
Website: www.innovatest-shanghai.com

Changes in products and/or product specifications can emerge due to new technologies and continuous development.
We reserve the right to change or modify specifications of products without prior notice.
We recommend you to contact our sales office for up-to-date information.
© All rights reserved